




1 Employee Restroom Plan  
1/2" = 1'-0"




2 Public Restroom Plans  
1/2" = 1'-0"




3 Pool Unisex Restroom  
1/2" = 1'-0"




4 Typical Restroom Elevation  
1/2" = 1'-0"



5 Typical Restroom Elevation  
1/2" = 1'-0"



6 Typical Restroom Elevation  
1/2" = 1'-0"



7 Typical Restroom Elevation  
1/2" = 1'-0"

#### GENERAL NOTES


- DO NOT SCALE DRAWINGS. SEE SPECIFICATIONS FOR ADDITIONAL INFORMATION.
- NOTIFY THE ARCHITECT OF ANY DISCREPANCIES FOUND IN THE DRAWINGS AND/OR SPECIFICATIONS.
- ALL DIMENSIONS SHOWN ARE FROM:  
A. FACE OF STUD  
B. FACE OF EXTERIOR SHEATHING  
C. FACE OF BLOCK  
D. FACE OF INSULATED CONCRETE FORM UNIT  
E. CENTERLINE OF BEAM  
F. CENTERLINE OF DOORS AND WINDOW - ROUGH OPENING
- HOLD ALL CRITICAL AND CLEAR DIMENSIONS. NOTIFY ARCHITECT IF ANY DIMENSIONS CANNOT BE MET.
- WORK PERFORMED IN CONNECTION WITH THESE DRAWINGS AND SPECIFICATIONS SHALL BE IN STRICT COMPLIANCE WITH PERTINENT CODES, RULES, ORDINANCES, AND REGULATIONS OF THE LOCAL, STATE, AND FEDERAL GOVERNING AUTHORITIES AND BE COMPLIANT WITH APPLICABLE ACCESSIBILITY CODES.
- BUILDING OWNER AND/OR GENERAL CONTRACTOR SHALL OBTAIN AND BEAR THE COSTS OF ALL PERMITS, SEALED DRAWINGS, APPROVALS, AND INSPECTIONS AS REQUIRED TO BUILD FACILITIES ACCORDING TO FINAL PLANS AND SPECIFICATIONS
- SEE STRUCTURAL DRAWINGS FOR ALL STRUCTURAL INFORMATION

#### CEILING LEGEND

	RECESSED LIGHT
	RECESSED ADJUSTABLE DOWN LIGHT FIXTURE
	RECESSED FLUORESCENT LIGHT FIXTURE 24" x 48"
	RECESSED FLUORESCENT LIGHT FIXTURE 24" x 24"
	SURFACE MTD. FLUORESCENT LIGHT FIXTURE 24" x 48"
	WALL MOUNTED LIGHT SCONCE
	PENDANT LIGHT FIXTURE
	DECORATIVE PENDANT LIGHT FIXTURE
	DIRECTIONAL EMERGENCY EXIT LIGHT
	BATH EXHAUST FAN
	RECESSED SHOWER DOWNLIGHT
	LINEAR DIFFUSER
	RETURN AIR GRILLE
	DIFFUSER
	WALL MOUNTED SPRINKLER
	CEILING SPRINKLER




24" x 48" ACOUSTICAL CEILING TILE



24" x 24" ACOUSTICAL CEILING TILE




GYPSUM WALL BOARD



UNDERSIDE OF RATED FLOOR/CEILING


#### ACCESSIBLE CLEAR LEGEND

- DOOR MANEUVERING SPACE:** FRONT APPROACH, PULL SIDE CLEAR FLOOR SPACE = DOOR WIDTH + 18" x 5'-0" (18" BEYOND DOOR WIDTH AT LATCH SIDE).
- DOOR MANEUVERING SPACE:** FRONT APPROACH, PUSH SIDE CLEAR FLOOR SPACE = DOOR WIDTH + 12" x 4'-0" (12" BEYOND DOOR WIDTH AT LATCH SIDE WHEN DOOR HAS LATCH AND CLOSER)
- DOOR MANEUVERING SPACE:** FRONT APPROACH, PUSH SIDE CLEAR FLOOR SPACE = DOOR WIDTH + 4'-0" (NO CLOSER ON DOOR)
- DOOR MANEUVERING SPACE:** HINGE APPROACH, PULL SIDE CLEAR FLOOR SPACE = DOOR WIDTH + 42" x 4'-0" OR DOOR WIDTH + 36" x 5'-0"
- DOOR MANEUVERING SPACE:** HINGE APPROACH, PUSH SIDE CLEAR FLOOR SPACE = DOOR + 22" x 3'-6", PUSH SIDE CLEAR FLOOR SPACE = DOOR + 22" x 4'-0" (WHEN DOOR HAS LATCH AND CLOSER)
- CLEAR FLOOR SPACE:** FRONT OR SIDE APPROACH 30" x 48"
- AREA OF REFUGE:** 30" x 48" CLEAR FLOOR SPACE
- CLEAR FLOOR TURNING SPACE:** 5'-0" DIAMETER TURNING AREA (T-SHAPED SPACE ALSO ALLOWED PER ACCESSIBILITY REQUIREMENTS)
- CLEAR FLOOR AREA:** 36" WIDE AISLE x LENGTH OF ACCESSIBLE PIECE OF EQ. OR FURNITURE (48" MIN.)
- WATER CLOSET CLEARANCE:** 56" x 60"
- CLEAR DECK SPACE:** PARALLEL TO POOL LIFTS 36" X 48"
- WATER CLOSET CLEARANCE:** 56" x 60" (FLOOR MOUNTED IN A COMPARTMENT)



**CLEAR FLOOR SPACE**  
DESIGNATED REQUIRED CLEAR FLOOR SPACE (CFS) PER ACCESSIBILITY REQUIREMENTS. REFER TO DIAGRAM ON THIS SHEET AND SHEET A10.01 IN REFERENCE TO APPROACH CLEARANCES. VERIFY REQ. CLEAR FLOOR SPACE FOR ALL ACCESSIBLE EQUIPMENT, FURNITURE AND AREAS REQUIRED TO BE ACCESSIBLE. REFER TO HADG FOR FURTHER INFORMATION.

DOOR SIZES TO BE 3'-0" WIDE (UNLESS NOTED OTHERWISE), OR DOOR WITH 2'-8" CLEAR WHEN DOOR IS OPEN AT 90°. INFORMATION ON THIS SHEET IS INTENDED TO DEMONSTRATE CLEAR FLOOR AREA AND DOOR CLEARANCE REQUIREMENTS FOR ACCESSIBILITY AS DESIGNED IN THIS PROTOTYPE SET. THE ARCHITECT OF RECORD IS REQUIRED TO CONFORM TO ALL STATE AND LOCAL CODES IN ADDITION TO THE 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN. REFER ALSO TO SHEET A10.01 FOR DOOR CLEARANCE REQUIREMENTS. ENLARGED PLAN REFERENCES CONTAIN CLEAR FLOOR AREA INFORMATION ON THOSE SHEETS, INCLUDING REQUIREMENTS FOR PLUMBING FIXTURE CLEARANCES.



ISSUE:

Issued for Permit  
08.05.2016

PROJECT: 16-018

Hampton Inn & Suites

New Stanton, PA 15672

OWNER:

Stanton Hospitality LLC

52 Blueberry Lane,  
Grove City, PA 16127

THESE DRAWINGS ARE FOR REVIEW OF DESIGN AND SCOPE DESCRIPTION ONLY. NO REPRESENTATION IS MADE TO THE ACCURACY OF THE DRAWINGS WITH RESPECT TO EXISTING DIMENSIONS OR CONDITIONS. ALL CONSULTANTS AND CONTRACTORS MUST VERIFY ANY AND ALL DIMENSIONS AND CONDITIONS WHICH ARE CRITICAL TO THEIR WORK. THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND ARE THE INTELLECTUAL PROPERTY OF JMAC ARCHITECTS. ANY UNAUTHORIZED USE OR REPRODUCTION IS PROHIBITED.

No. Issue Date Project Status

Enlarged Restroom  
Plans and RCPs

As indicated

A-510