

CONTRACTOR NOTES:
1. 10 MIL. VAPOR BARRIER OVER TERMITE TREATED SOIL, COMPACTED TO A MINIMUM OF 95%. SEE SOILS REPORT FOR COMPOSITION OF FLOOR BASE.
2. BLOCK-OUT BLOCK IN LIEU OF TURNED DOWN EDGE IS ACCEPTABLE.

SECTION 1
SCALE 1/2"=1'-0" S201.1 S601



SECTION 2
SCALE 1/2"=1'-0" S201.1 S601



SECTION 3
SCALE 1/2"=1'-0" S201.1 S601



SECTION 4
SCALE 1/2"=1'-0" S201.1 S601



SECTION 05
SCALE 1/2"=1'-0" S201.1 S601



SECTION A
SCALE 1/2"=1'-0"

SECTION 06
SCALE 1/2"=1'-0" S201.1 S601





SECTION C
SCALE 1/2"=1'-0"

SECTION B
SCALE 1/2"=1'-0"

SECTION 07
SCALE 1/2"=1'-0" S201.1 S601



SECTION 08
SCALE 1/2"=1'-0" S201.1 S601





TYP. SLEEVE THROUGH FOUNDATION
SCALE 1/2"=1'-0"



TYP. SLAB-ON-FINISH GRADE DETAIL
SCALE 1/2"=1'-0"

NOTE:
1. MAXIMUM SPACING BETWEEN CONSTRUCTION OR SAWCUT CONTRACTION JOINTS IS 15'-0" AT INTERIOR SPACES.



TYP. STEP IN SLAB
N.T.S.

JMAC ARCHITECTS
1273 Washington Pike, Bridgeville, PA 15017
t. 412.257.9010

Hampton

ISSUE:

Issued for Permit
08.05.2016

BASE4
9858 GLADES ROAD, #237
BOCA RATON, FLORIDA 33434
1.720.72BASE4 www.base-4.com

JEFF GAITHER, AIA
4101 Woodlynne Ln
Orlando, FL 32812

COMMONWEALTH OF PENNSYLVANIA
REGISTERED PROFESSIONAL
ADAM J. GINSBURG
ENGINEER
048138E

ADAM GINSBURG
12641 YARDLEY DRIVE
BOCA RATON, FL 33428

PROJECT: B4-067-1603

Hampton Inn & Suites

New Stanton, PA 15672

OWNER:

Stanton Hospitality LLC

THESE DRAWINGS ARE FOR REVIEW OF DESIGN AND SCOPE DESCRIPTION ONLY. NO REPRESENTATION IS MADE TO THE ACCURACY OF THE DRAWINGS WITH RESPECT TO EXISTING DIMENSIONS OR CONDITIONS. ALL CONSULTANTS AND CONTRACTORS MUST VERIFY ANY AND ALL DIMENSIONS AND CONDITIONS WHICH ARE CRITICAL TO THEIR WORK. THESE DRAWINGS ARE INSTRUMENTS OF SERVICE AND ARE THE INTELLECTUAL PROPERTY OF JMAC ARCHITECTS. ANY UNAUTHORIZED USE OR REPRODUCTION IS PROHIBITED.

No.	Issue Date	Project Status

DETAILS

作为说明

S-601

© 2016 JMAC Architects